

RECEIVED

2002 OCT -1 P 2:45

CORRES. CONTROL
INCOMING LTR NO.

00667 RF02

CORRESPONDENCE CONTROL STATE OF COLORADO

DUE DATE
ACTIONBill Owens, Governor
Jane E. Norton, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S.
Denver, Colorado 80246-1530
Phone (303) 692-2000
TDD Line (303) 691-7700
Located in Glendale, ColoradoLaboratory and Radiation Services Division
8100 Lowry Blvd.
Denver, Colorado 80230-6928
(303) 692-3090Colorado Department
of Public Health
and Environment<http://www.cdphe.state.co.us>

September 25, 2002

Mr. Joseph A Legare
Assistant Manager for Environment and Infrastructure
U.S. Department of Energy, Rocky Flats Field Office
10808 Highway 93, Unit A
Golden, CO 80403-8200

RE: B442, 662, & 663 Facility Disposition RSOP Notification


Dear Mr. Legare:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has received your September 10, 2002 letter notifying us that the Facility Disposition RSOP will be utilized during the demolition of the Type 2 slabs associated with Buildings 442, 662, and 663. We appreciate receiving this RSOP Notification as specified in the Facility Disposition RSOP. Although this notification letter may not have preceded the actual demolition activities associated with these slabs, it should be recognized that the consultative process has been utilized to allow this work to proceed prior to receipt of this notification. However, we do not believe this variance from established procedures (not officially submitting the notification) should be viewed as setting a precedent for potential future actions regarding the need to follow established procedures and provide the appropriate documents and notifications for our review prior to initiating the proposed activities.

It is also our position that the requirements included in the Facility Disposition RSOP are the minimum requirements to be followed by ER during facility disposition. As you have indicated in your letter, these previously agreed to requirements should be followed even if they are not specifically addressed in the ER RSOP Notification.

If you have any questions regarding this correspondence please contact me at (303) 692-3367 or David Kruchek at (303) 692-3328.

Sincerely,


Steven H. Gunderson
RFCA Project Coordinator

cc: Steve Tower, DOE, RFPO
Tim Rehder, EPA
Lane Butler, KH
Dan Miller, AGO
~~Administrative Records Building T130G~~

Kurt Kehler, KH
Dave Shelton, KH
Steve Nesta, KH
Steve Tarlton, CDPHE


ADMIN RECORD

IA-A-001098

DIST.	LTR	END
BOGNERBERGER, V.		
BOGNAR, E.	X	
DECK, C. A.	X	
DEGENHART, K.		
DIETER, T. J.		
DIETERLE, S. E.		
FERRERA, D. W.	X	
FERRIL, M. S.		
GERMAIN, A. L.		
GIACOMINI, J. J.		
ISOM, J. H.		
LINDSAY, D. C.		
LONG, J. W.		
MARTINEZ, I. A.	X	
NAGEL, R. E.	X	
NORTH, K.	X	
PARKER, A. M.		
POWERS, K.		
RODGERS, A. D.		
SHELTON, D. C.	X	
SPEARS, M. S.		
TRICE, K. D.		
TUOR, N. B.		
VOORHEIS, G. M.		
WILLIAMS, J. L.		
BUTLER, L.	X	
KOHLER, K.	X	
NESTA, S.	X	

COR. CONTROL	X	X
ADMIN. RECORD	X	
PATS/130		

Reviewed for Addressee
Corres. Control RFP10/1/02
Date By

Ref. Ltr. #

DOE ORDER #

5400.1